

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. GMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				Application Number	10/763,035
(Use as many sheets as necessary)				Filing Date	January 22, 2004
Sheet	1	of	17	First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
				Attorney Docket Number	N0023/293139

U.S. PATENT DOCUMENTS					
Examiner Initials	Cite No. <sup>1</sup>	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Page, Column, Line, Where Relevant Passages or References First Appear
Number - Kind Code <sup>2</sup> (if known)					
CD	1.	6,142,648	11/7/00	Logan, et al.	
	2.	6,082,031	7/4/00	Heaton, et al.	
	3.	5,988,825	11/23/99	Masters, et al.	
	4.	5,797,673	8/25/98	Logan, et al.	
	5.	5,735,498	4/7/98	Jue, et al.	
	6.	5,727,867	3/17/98	Johnstone	
	7.	D 379,373	5/20/97	Logan, et al.	
	8.	5,526,251	6/11/96	Andre, et al.	
	9.	5,461,550	10/24/95	Johnstone	
	10.	5,376,020	12/27/94	Jones	
	11.	5,272,605	12/21/93	Johnstone	
	12.	5,247,756	9/28/93	Johnstone	
	13.	5,018,290	5/28/91	Kozek, et al.	
	14.	4,600,972	7/15/86	MacIntyre	
	15.	4,561,203	12/31/85	MacDonald, Jr., et al.	
	16.	4,466,208	8/21/84	Logan, Jr., et al.	
▼	17.	4,355,479	10/26/82	Thornton	
	18.	4,255,746	3/10/81	Johnson, et al.	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

<sup>1</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>2</sup>Applicant's unique citation designation number (optional). <sup>3</sup>See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 801.04. <sup>4</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>5</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>6</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. <sup>7</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/08a (08-03)

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

# INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 2 of 17

*Complete if Known*

Application Number	10/763,035
Filing Date	January 22, 2004
First Named Inventor	Logan, et al.
Art Unit	3611
Examiner Name	Unknown
Attorney Docket Number	N0023/293139

## U.S. PATENT DOCUMENTS

Examiner Initials	Cite No. <sup>1</sup>	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Page, Column, Line, Where Relevant Passages or Relevant Figures Appears
Number - Kind Code <sup>2</sup> (if known)					
CD	19.	4,222,093	9/9/80	Garcia	
	20.	4,162,779	7/31/79	Van Steenhoven	
	21.	4,071,749	1/31/78	Balogh	
	22.	3,931,689	1/13/76	Shine	
	23.	3,924,344	12/9/75	Davis	
	24.	3,772,527	11/13/73	Darling, et al.	
	25.	3,665,626	5/30/72	Lund, et al.	
	26.	3,478,455	11/18/69	Fremont	
V	27.	3,402,494	9/24/68	Gray	

## FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No. <sup>1</sup>	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Page, Column, Line, Where Relevant Passages or Relevant Figures Appear
Country Code <sup>2</sup> - Number - Kind Code <sup>3</sup> (if known)					
CD	28.	Europe (EPO) - 0412281A1	2/13/91		

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

<sup>1</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>2</sup> Applicant's unique citation designation number (optional). <sup>3</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>4</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>5</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>6</sup> Kind of document by appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. <sup>7</sup> Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete. Including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for Form 1449A/PTO

# INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

				<i>Complete if Known</i>
				<i>Application Number</i>
				<i>Filing Date</i>
				<i>First Named Inventor</i>
				<i>Art Unit</i>
				<i>Examiner Name</i>
				<i>Attorney Docket Number</i>
Sheet	3	of	17	
				N0023/293139

## NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	29.	Brochure, "Kast Exits - Stencil or Plastic Face," Incandescent Catalog, Lithonia Lighting, Inc. (1965), p. 26.	
	30.	Brochure, "Fail-Safe Exit Sign," Lithonia Lighting (1971).	
	31.	Brochure, "Exit Series - Plastic Face," Lithonia Lighting (1971), p. 64.	
	32.	Brochure, "ES/EP Premium Exits," Lithonia (1980), p. 52.	
	33.	Brochure, "AS/AP Incandescent Series," Lithonia Emergency Lighting, p. 24 (1984).	
	34.	Installation Instructions, "Spectrum Series Model MS/MP 120/277 Exit Signs," Lithonia Emergency Systems (Jul. 28, 1986).	
	35.	Drawing, "L.A. Swivel Male" (Jul. 7, 1986).	
	36.	One page of photographs, Lithonia Lighting Systems Emergency Exit Sign with Chevrons as shown in Brochure, "Introducing the New QM-EL Quantum Emergency Exit Sign," Lithonia Lighting (1992) listed above (Chevron Sign).	
	37.	One page of photographs, Model KSR-LED EZ Snap Series Exit Sign, Dual Lite (Oct. 26, 1994) ("Dual Lite Sign") as shown in Installation Instructions, EZ Snap LED Exit Signs, Dual-Lite (Jul. 1994) listed above.	
	38.	One page of photographs (Cam Attachment (Long)) shown in Drawing, "Pin, Locking, Pedestal Swivel" (Mar. 30, 1989) and Brochure, Installation Instructions Titan Series (Circa 1989), listed above.	
▼	39.	One page of photographs (Cam Attachment (Short)) shown in Drawing, "Swivel, Lamp Par 36" (Oct. 5, 1993) listed above.	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLIB011749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
				Application Number	10/763,035
				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
Sheet 4 of 17				Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.		
CD	40.	Copy of photograph of Swivel shown in Drawing, "L.A. Swivel Male" (Jul. 7, 1986) listed above.		T <sup>2</sup>
	41.	One page of photographs, canopy/backplate shown in Brochure, "Dual-Lite Excite™ Simply Beautiful," Dual-Lite, Inc. (Jul. 1980) listed above.		
	42.	One page of photographs, canopy housing shown in Brochure, "Introducing the Quantum Difference," Lithonia Emergency Systems (1989) listed above.		
	43.	Brochure, "6 Volt Self-Powered Economy Exit Light - Series EP," Elan Lighting Products Division of Altus Corporation (Apr. 1982).		
	44.	Brochure, "6 Volt Combination Emergency Light/Exit Sign - Series ED," Elan Lighting Products Division of Altus Corporation (Apr. 1982).		
	45.	Brochure, "Standard and AC-DC Exit Signs - Series WX & BX," Elan Lighting Products Division of Altus Corporation (Sep. 1982).		
	46.	Brochure, "Chloride . . . the quality innovators - Signout Self-Powered AC/DC exit signs," Chloride Systems (Sep. 1982).		
	47.	Brochure, "Universal Module Exit Signs - XU Series, AC or AC/DC," Teledyne Big Beam (Mar. 1989).		
	48.	Brochure, "Universal Module Exit Signs - XU Series, AC or AC/DC," Teledyne Big Beam (Aug. 1990).		
	49.	Brochure, "Dynaray Emergency Lighting - 81 Series," Electro Powerpacs Corp. (Jun. 1990).		
	50.	Brochure, "The New Siltron UX Series - Extruded Aluminum Sealed Maintenance-Free Nickel Cadmium Batteries," Siltron Illumination, Inc. (undated).		
↓	51.	Brochure, "Fluorescent Emergency Light Power Pack - CFP Series," Chloride Systems (undated), pp. 11-18.		

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-6161 and select option 2.

ATLLEB01 1749137.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				Application Number	10/763,035
(Use as many sheets as necessary)				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
Sheet 5		of 17		Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	52.	Brochure, "Chloride . . . Life Safety Products & Systems - Total Flexibility in a Single Exit Sign," Chloride Systems (undated).	
	53.	LINN, CHARLES, A I A, "From 'Frog Eyes on a Lunch Box' to Subtle, Quality Emergency Fixtures," <i>Lighting Update, Facilities Design &amp; Management</i> (undated), p. 47.	
	54.	Installation Instructions, "EZ-Snap LED Exit Signs," Dual-Lite (Jul. 1994).	
	55.	Drawing, "Pin, Locking, Pedestal Swivel" (Mar. 30, 1989).	
	56.	Brochure, "Installation Instructions Titan Series" (Circa 1989).	
	57.	Drawing, "Swivel, Lamp Par 36" (Oct. 5, 1993).	
	58.	Brochure, "Spectrum Series - Contemporary Injection Molded Emergency Exit Signs," Lithonia Emergency Systems (1987).	
	59.	Brochure, Spectrum Series - Emergency Exit," Lithonia Emergency Systems (1987).	
	60.	Brochure, "Introducing the Quantum Difference," Lithonia Emergency Systems (1989).	
	61.	Brochure, "FAS/FAP Fluorescent Series," Lithonia Emergency Lighting (undated), p. 25.	
	62.	Brochure, "Introducing the New QM-EL Quantum Emergency Exit Sign," Lithonia Lighting (1992).	
▼	63.	Brochure, "Your Choice of Exit Signs Can Make a World of Difference," Lithonia Lighting (1993).	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

\*Applicant's unique citation designation number (optional). \*Applicant is to place a check mark here if English language Translation is attached.  
 This collection of information is required by 37 CFR 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLIB01 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for Form 1449A/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> <i>(Use as many sheets as necessary)</i>				Complete if Known	
Sheet	6	of	17	Application Number	10/763,035
				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
				Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s), publisher city and/or country where published.		
CD	64.	Quantum® Installation Instructions, QM-EL Emergency Exit Signs," Lithonia Emergency Systems (undated)		T <sup>2</sup>
	65.	Installation Instructions Supplement, Hardware: Side Mount & Top Mount Models: M 120/277 Exit Signs," Lithonia Emergency Systems (undated).		
	66.	Brochure, "Dual-Lite EXITE™ Simply Beautiful," Dual-Lite, Inc. (Jul 1980).		
	67.	Brochure, "Excalibur® Series," Dual-Lite (undated).		
	68.	Brochure, Excite™ Series," Dual-Lite (Mar. 1988).		
	69.	Brochure, "EZ-Snap™ Series, Dual-Lite (Sep. 1990).		
	70.	Installation Instructions, "Dual-Lite EX-SNAP® Exit Signs" (Jan. 1994).		
	71.	Brochure, "Single and Dual Lamp Fluorescent AC and Emergency Universal Mounting Exit Signs" (Undated), pp. 27-28.		
	72.	Form F1.2, Exit Directional: Edge-Glo® Exit, Fluorescent RGLO/SGLO-FL Series, ALKCO, A Division of JYL Lighting Group, Inc. (June 2003)		
	73.	Form F1.3, Exit Directional: Edge-Glo® Exit, LED RGLO/SGLO-LED Series, ALKCO, A Division of JYL Lighting Group, Inc. (June 2003)		
	74.	Form F1.4, Exit Directional: Edge-Glo® Exit, Wall Recessed LED WGLO-LED Series, ALKCO, A Division of JYL Lighting Group, Inc. (February 2003)		
▼	75.	Form F1.0, Exit Directional: Edge-Glo® Exit, Edge-Glo® Exit, RPC/CP Series, ALKCO, A Division of JYL Lighting Group, Inc.		

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 600. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLIB01 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				<i>(Use as many sheets as necessary)</i>
Sheet	7	of	17	Attorney Docket Number
				N0023/293139

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	76.	Form F3.3, Exit Directional Signage/Exit: Extruded Aluminum AAPA/ABP-APA Series, ALKCO, A Division of JJL Lighting Group, Inc.	
	77.	Form F3.4, Exit Directional Signage/Exit: Extruded Aluminum AGRA Battery Series, ALKCO, A Division of JJL Lighting Group, Inc.	
	78.	Form F3.6, Exit Directional Signage/Exit: LED Exit, Cast Aluminum Sign, ALKCO, A Division of JJL Lighting Group, Inc.	
	79.	Model CA: Model CA Cast Aluminum LED Exit Sign, Architectural Series, Astralite Inc.	
	80.	Model EEU-2: EEU-2 Exit Emergency Combo, Commercial Series, Astralite, Inc.	
	81.	Model EEU2: EEU-2-16 Remote Capable Exit Emergency Combo, Commercial Series, Astralite, Inc.	
	82.	Model EEU-2: EEU-2-32 Remote Capable Exit Emergency Combo, Commercial Series, Astralite, Inc.	
	83.	Model ELX8: 8 Inch LED Edge Lit Exit, Metro Series, Commercial Series, Astralite, Inc.	
	84.	Model ELX: LED Edge Lit Exit (Recessed Mount), Precision Series, Astralite, Inc.	
	85.	Model ELX: LED Edge Lit Exit (Surface Mount), Architectural Series, Astralite, Inc.	
	86.	Model GLNY: Galvanized 8" LED Exit Sign NYC Approved, Metro Series, Astralite, Inc.	
	87.	Model NY: New York City Approved 8 Inch LED Exit Sign Combo, Value Series, Astralite, Inc.	
▼	88.	Model EANY: New York City Approved 8 Inch LED Exit Sign, Metro Series, Astralite, Inc.	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.86. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLJEB01 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/A/PTO				Complete if Known
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				<i>(Use as many sheets as necessary)</i>
Sheet	8	of	17	Attorney Docket Number
				N0023/293139

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	89.	Model ST-GAL: 6 Inch Galvanized Steel Exit Sign, Designer Series, Astralite, Inc.	
	90.	Model TP: Thermo Plastic LED Exit, Commercial Series, Astralite, Inc.	
	91.	Symmetry II Series, Thermoplastic Combination Emergency Exits, High Performance, Adjustable Lamp Reflector Systems LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	
	92.	Symmetry I Series, Commercial Grade Thermoplastic LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	93.	Symmetry I Series, Thermoplastic Combination Emergency Exits, High Performance, Adjustable Lamp Reflector Systems LED Illumination, Chloride Systems, and 6V 12-25 Watt Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	94.	Symmetry Series, Edge-Lit Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120VAC or 277VAC LED Edgelit Exit Fixture Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	95.	CX Series, Specification Grade Die Cast Aluminum Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120VAC Emergency LED Cast Exit Single or Double Face Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
▼	96.	Reference Series II, Wet Location, Vandal Resistant Heavy Duty Die Cast LED Exit AC Only and Emergency Operation and 120VAC/277VAC Emergency LED Exit Suitable for Wet Location Single or Double Face Installation and Operating Instructions, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-8188 and select option 2.

ATL1ED01 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

				Complete if Known
		Application Number	10/763,035	
		Filing Date	January 22, 2004	
		First Named Inventor	Logan, et al.	
		Art Unit	3611	
		Examiner Name	Unknown	
Sheet		9	of	17
		Attorney Docket Number		N0023/293139

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	97.	Reference Series II, Fully Recessed Die Cast Aluminum Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120VAC/277VAC Emergency Recessed Led Exit Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (May 2001)	
	98.	Sterling Series, Edge-Lit LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems and 120/277VAC AC Recessed LED Edgelit Exit Installation and Operating Instructions, A Division of Genlyt Thomas Group LLC (Sept. 2002)	
	99.	STELX Series by Chloride Systems, Emergency Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev. 1	
	100.	STELX Series by Chloride Systems, Surface Mount Emergency LED Edgelit Exit, Installation and Operation Instructions, Rev. 2	
	101.	Excel Series, Heavy Duty Steel LED Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)	
	102.	XLA Series Steel LED Exit by Chloride Systems, AC LED Exit 120/277VAC, Installation and Operating Instructions, Rev. 1	
	103.	XLN Series Steel LED Exit by Chloride Systems, Emergency LED Exit Sign, Installation and Operating Instructions, Rev. 2	
	104.	XL Series Steel LED Exit by Chloride Systems, 2 Headed Emergency LED Exit Sign, Installation and Operating Instructions, Rev. 1	
	105.	Symmetry SLA Series by Chloride Systems, 120V or 277V AC Plastic LED Exit Installation and Operating Instructions, Rev. 1	
▼	106.	Symmetry SLN Series by Chloride Systems, 120 or 277VAC Self Powered Plastic LED Exit Installation and Operating Instructions, Rev. 1	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLLIB01 1749151.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				Application Number	10/763,035
				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
Sheet	10	of	17	Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s), publisher city and/or country where published.			T <sup>2</sup>
CD	107.	120V or 277V Self Powered/AC Plastic LED Exit Installation and Operating Instructions			
	108.	6 Volt Emergency Lighting Combo Unit with 2-5.4W Lamps Installation and Operating Instructions, Rev. 4			
	109.	Excel Series, Heavy Duty Steel Combination Exit/Emergency Units, Emergency Operation with Side-Mounted Lamp Heads LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)			
	110.	Infinity II Series, Semi-Recessed Exits AC Only and Emergency Operation LED Illumination, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001); LAC Semi-Recessed AC Exit Sign by Chloride Systems, Suitable for Floor Proximity Installation, Installation and Operating Instructions, Rev. 2			
	111.	Self-Luminous Series, Tritium Exits, Operates Without External Power Source 10, 15 or 20 Year Life, Chloride Systems, A Division of Genlyt Thomas Group LLC (May 2001)			
	112.	Installation and Instructions for AC L.E.D. Exit Signs, CX Series, Sure-Lites, Cooper Lighting (Mar. 1998)			
	113.	Installation Instructions for Self Powered Self-Diagnostic L.E.D. Exit Signs CX Series, Sure-Lites, Cooper Lighting (Mar. 2000)			
	114.	Installation Instructions For CAX - L.E.D. AC and If Powered Exit Signs, Sure-Lites, Cooper Lighting (Jul. 1998)			
	115.	Installation Instructions for Self Powered Exit Signs CAX Series, Sure-Lites, Cooper Lighting (April 1999)			
	116.	Installation Instructions For CAX - L.E.D. Self-Diagnostic Self Powered Exit Signs, Sure-Lites, Cooper Lighting (May. 2000)			
✓	117.	Installation Instructions for Self-Powered Exit Signs CAX Series With LED Lite-Stx™, Sure-Lites Cooper Lighting (Apr. 1997)			

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATL1001740157.1

PTO/SB/083 (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

**U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE**

**Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.**

Substitute for form 1449A/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> <i>(Use as many sheets as necessary)</i>		<i>Complete if Known</i>	
		Application Number	10/763,035
		Filing Date	January 22, 2004
		First Named Inventor	Logan, et al.
		Art Unit	3611
		Examiner Name	Unknown
		Attorney Docket Number	N0023/293139
Sheet	11	of	17

#### NON-PATENT LITERATURE DOCUMENTS

NON-PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book, magazine, journal, serial, symposium catalog etc.) date page(s) volume-issue number(s), publisher city and/or country where published.	T <sup>2</sup>
CD	118.	Instruction Sheet for TPX-L.E.D. AC and Self-Powered Exit Signs, Sure-Lites, Cooper Lighting	
	119.	Instruction Sheet for Remote TPX, Sure-Lites, Cooper Lighting	
	120.	Installation Instructions for HZX Series Explosion Proof Exit Signs, Sure-Lites, Cooper Lighting	
	121.	Installation Instructions for AC L.E.D. Exit Signs CCX Series, Sure-Lites, Cooper Lighting (June 1998)	
	122.	Installation Instructions for AC Incandescent Exit Signs CCX Series, Sure-Lites, Cooper Lighting (June 1998)	
	123.	Installation Instructions EEX Series L.E.D. Edge Lit Exit Signs for AC Wall, Ceiling and End Mount, Sure-Lites, Cooper Lighting (Apr. 1998)	
	124.	Installation Instructions EEX Series L.E.D. Edge Lit Exit Signs For Self-Powered Wall, Ceiling and End Mount, Sure-Lites, Cooper Lighting (Apr. 1998)	
	125.	Installation Instructions For AC EAX/EAC Exit Signs, Sure-Lites, Cooper Lighting (Jul. 1998)	
	126.	Installation Instructions for Self Powered Exit Signs, Sure-Lites, Cooper Lighting	
	127.	Installation Instructions For Self Powered LED Exit Signs, Sure-Lites, Cooper Lighting (Aug. 1994)	
	128.	Installation Instructions for AC Powered Led Exit Signs, Sure-Lites, Cooper Lighting (June 1994)	
▼	129.	Installation Instructions for AC Incandescent INCX Series Exit Signs and Technical Data, Sure-Lites, Cooper Lighting	

**Examiner Signature** /Cassandra Davis/      **Date Considered** 06/27/2006

**EXAMINER:** Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered. Include copy of this form with next communication to applicant.  
1 Applicant's unique citation designation number (optional).<sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.  
This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete (including gathering, preparing and submitting the completed application form to the USPTO). Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office, P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. send TO: Commissioner for Patents, P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for Form 1449A/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> <i>(Use as many sheets as necessary)</i>				<i>Complete if Known</i>	
Sheet	12	of	17	Application Number	10/763,035
				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
				Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.		
CD	130.	Installation Instructions- SLX Series L.E.D. Exit Signs for AC and Self-Powered, Wall, Ceiling and End Mount, Sure-Lites, Cooper Lighting (Dec. 1998)		T <sup>2</sup>
	131.	Installation Instructions for UX EXIT Series, LED, Self Powered, Self-Diagnostic Universal Mounting, Wall, Ceiling, and End Mount Convertible to 2 Face Exit - with optional UXUK KIT, Sure-Lites, Cooper Lighting (Sept. 2003)		
	132.	Installation Instructions for UX EXIT Series, LED, AC Only, -2C Option for 2 Circuits Universal Mounting, Wall, Ceiling, and End Mount Convertible to 2 Face Exit - with Optional UXUK KIT, Sure-Lites, Cooper Lighting (Sept. 2003)		
	133.	Installation Instructions for UXUK Universal 2 Face Conversion Kit For Ceiling Canopy or End Mounting Canopy - UX Exit Sign Series, Sure-Lites, Cooper Lighting (Sept. 2003)		
	134.	Installation Instructions for UX Exit Series-HAZ for HAZARDOUS LOCATIONS, Class I, Div. 2, Groups A,B,C,D, Sure-Lites, Cooper Lighting (Sept. 2003)		
	135.	Installation Instructions for HZX Series Explosion Proof Exit Signs, Sure-Lites		
	136.	120VAC or 277VAC AC LED Cast Exit Single or Double Face, Installation and Operating Instructions Rev.0		
	137.	120VAC/277VAC Emergency LED Cast Exit Single or Double Face, Installation and Operating Instructions Rev.0		
	138.	120VAC/277VAC Emergency LED Cast Exit with Self-Diagnostics Single or Double Face, Installation and Operating Instructions Rev.0		
✓	139.	E800 Series Cast LED Exit by LightGuard, 120VAC or 277VAC AC LED Exit Single or Double Face Suitable for Wet Location Installation and Operating Instructions Rev.0		

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATL11301 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				Application Number	10/763,035
(Use as many sheets as necessary)				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
Sheet 13 of 17				Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book, magazine, journal, serial, symposium, catalog etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
CD	140.	E803 Series Cast LED Exit by LightGuard, 120VAC/277VAC Emergency LED Exit Suitable for Wet Location Single or Double Face, Installation and Operating Instructions, Rev.0	
	141.	NX Series, NEMA Exit Signs, Technical Data, LightGuard, a Division of Gentyl Thomas Group, LLC (Oct. 1998)	
	142.	SLDLX Series by LightGuard, 120/277 VAC AC Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev.0	
	143.	SLDLX Series by LightGuard, 120/277VAC Surface Mount LED Edgelit Exit, Installation and Operating Instructions, Rev.0	
	144.	SLELX Series by LightGuard, Emergency Recessed LED Edgelit Exit, Installation and Operating Instructions, Rev.1	
	145.	SLELX Series by LightGuard, Surface Mount Emergency LED Edgelit Exit, Installation and Operating Instructions, Rev. 2	
	146.	E100 II Series Heavy Duty Steel Exit Signs, LightGuard A Division of Gentyl Thomas Group LLC (Mar. 2001)	
	147.	E700 Series, LightGuard A Division of Gentyl Thomas Group LLC, and E700 Semi-Recessed AC Exit Sign by LightGuard, Suitable for Floor Proximity Installation, Installation and Operating Instructions (Mar. 2001)	
	148.	E1L Series Steel LED Exit by LightGuard, AC LED Exit 120/277VAC. Installation and Operating Instructions Rev.2	
	149.	E1LH Series Steel LED Exit by LightGuard, 2 Headed Emergency LED Exit Sign, Installation and Operating Instructions Rev.1	
▼	150.	E1L3 Series Steel LED Exit by LightGuard, Emergency LED Exit Sign, Installation and Operating Instructions, Rev.2	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.96. The information is required to obtain or retain a benefit by the public which is to be furnished (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-8189 and select option 2.

ATL1R0011749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				<i>(Use as many sheets as necessary)</i>
Sheet	14	of	17	Attorney Docket Number
				N0023/293139

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	151.	Sempra™ Series, Compact, low-profile exit signs featuring cast aluminum construction, easy installation and energy-saving, long-life LED lamps and installation and operating instructions, Dual-Lite Hubbell Lighting, Inc. (July 2003)	
	152.	Sempra™ MR Series Compact low-profile Master/Remote exit sign sets featuring cast aluminum construction, easy installation and energy-saving, long-life LED lamps and installation and operating instructions, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	153.	Sempra™ SC Series Cast aluminum exit signs for severe condition applications featuring easy installation and energy-saving, long-life LED lamps and installation and operating instructions, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	154.	Freedom LED Series Extended Discharge LED Exit Signs, Specifications, Dual-Lite Hubbell Lighting, Inc.	
	155.	Installation/Owners Manual for Models: LED1EM, LED2EM, LED1AC, LED2AC, PLED1EM, PLED2EM, PLED1AC, PLED2AC, Dual-Lite, Hubbell Lighting, Inc.	
	156.	LEDS Series, Low Profile, Easy to Install Aluminum Exit Signs Featuring Energy-Saving, Long-Life LED Lamps Specifications, Dual-Lite, Hubble Lighting, Inc. (Jul. 2003)	
	157.	Installation/Owners Manual for Models PLEDS1EM, PLEDS2EM, PLEDSUEM, PLEDS1AC, PLEDS2AC, PLEDSUAC, LEDS1EM, LEDS2EM, LEDSUEM, LEDS1AC, LEDS2AC and LEDSUAC, Dual-Lite Hubbell Lighting, Inc.	
	158.	LX Series Low-Profile, Easy to install exit signs featuring energy-saving, long-life led lamps, Specifications and Installation Instructions, Liteforms Collection, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
▼	159.	DK Series, AC-Only Incandescent Exit Signs, Specifications, Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to the (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLIB01 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

				Complete if Known
		Application Number	10/763,035	
		Filing Date	January 22, 2004	
		First Named Inventor	Logan, et al.	
		Art Unit	3611	
		Examiner Name	Unknown	
Sheet 15 of 17		Attorney Docket Number	N0023/293139	

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	160.	LT Series, Low-Profile, Easy to install emergency lighting unit/exit signs combinations featuring energy-saving, long-life led lamps Specifications and Installation Instructions, Liteforms Collection Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	161.	LE Series, Architectural Edge-lit exit signs featuring elegant styling, easy installation and energy-saving, long-life led lamps, Specifications and Installation Instructions, Liteforms Collection Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	162.	LES Series, Architectural AC-only Edge-lit exit signs featuring elegant styling, easy installation and energy saving, long-life led lamps, Specifications and Installation Instructions, Liteforms Collection Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	163.	LN4X Series, Wet Location UL 50 type 4X exit signs for indoor/outdoor use, featuring energy-saving, long-life LED lamp assemblies, Specifications and Installation Instructions, Liteforms Collection Dual-Lite Hubbell Lighting, Inc. (Jul. 2003)	
	164.	EZ-SNAP® Series, Attractive, easy to install exit signs featuring kit based flexibility, Specifications and installation instructions, Dual-Lite (Nov. 1994)	
	165.	EZ-SNAP® LED LiteCell™ Series, attractive, easy to install exit signs featuring energy saving, long life LED lamp panels, Dual-Lite (Nov. 1994)	
	166.	EZ-SNAP® LED LiteLoop™ Series, Attractive, easy to install exit signs featuring energy saving, long-life LED lamps and kit based flexibility (Sept. 1994)	
▼	167.	NV3 Series Thermoplastic LED Exit AC and Emergency Models, Prescolite Life Safety Products Specifications and Installation Instructions, Hubbell Lighting, Inc. (Jul. 2003)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.  
 This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATL11801 1749151.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0631-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet 16 of 17

		Complete if Known
Application Number		10/763,035
Filing Date		January 22, 2004
First Named Inventor		Logan, et al.
Art Unit		3611
Examiner Name		Unknown
Attorney Docket Number		N0023/293139

## NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>
CD	168.	DuraMax™ MR Series Diecast Aluminum LED Exit Signs AC and emergency models with lifetime warranty and standard self-test/self-diagnostic operation, Prescolite Life Safety Products, Hubbell Lighting, Inc. (July 2003)	
	169.	Cast Aluminum LED Exit Signs Installation and Instructions; Dual-Lite Prescolite Life Safety Products (Oct. 2001)	
	170.	DuraMax™ MR Series Diecast Aluminum Master/Remote LED Exit Sets For over-door and low level installations, Specifications and Installation Instructions Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	171.	EverGard™ Series Cast Aluminum LED Exit Signs For Severe Conditions, Compact, low-profile exit signs designed specifically for damp, hot, cold or high abuse applications, Specifications and Installation Instructions, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul 2003)	
	172.	GC Series Diecast Aluminum LED Exit Signs AC and emergency models with long life LED lamps, Specifications and Installation Instructions Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
	173.	Freedom PLED Series Aluminum LED Exit Signs AC and extended discharge emergency models with long-life LED lamps Specifications, Prescolite Life Safety Products Hubbell Lighting, Inc. (Nov. 2003)	
	174.	Installation/Owners Manual for Models: LED1EM, LED2EM, LED1AC, LED2AC, PLED1EM, PLED2EM, PLED1AC, PLED2AC, Dual-Lite Prescolite Life Safety Products Hubbell Lighting, Inc.	
	175.	PLEDS Series Aluminum LED Exit Signs Low-profile AC and emergency models with long-life LED lamps, Specifications, Installation /Owners Manual Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)	
↓	176.	LEP Series Edge-Lit LED Exit Recessed Mount AC and Emergency Models, Specifications and Installation/Owners Manual, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul 2003)	

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer U.S. Patent and Trademark Office U.S. Department of Commerce P.O. Box 1450 Alexandria VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLU001 1749157.1

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>				Application Number	10/763,035
				Filing Date	January 22, 2004
				First Named Inventor	Logan, et al.
				Art Unit	3611
				Examiner Name	Unknown
Sheet 17 of 17				Attorney Docket Number	N0023/293139

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate) title of the item (book magazine journal serial symposium catalog etc.) date page(s) volume-issue number(s) publisher city and/or country where published.	T <sup>2</sup>	
CD	177.	LEPS Series Edge-Lit LED Exit Surface Mount AC Models, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)		
	178.	LN4XP Series Wet Location LED Edge Surface Mount AC and Emergency Models, Specifications and Installation Instructions, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)		
	179.	PEXHL Series Combination LED Exit and Emergency Light, Specifications, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)		
	180.	Exit Lite Series Modular Incandescent Exit AC and Emergency Models, Specifications, Prescolite Life Safety Products Hubbell Lighting, Inc. (Jul. 2003)		
	181.	Drawing - Brackets Single Face Plastic Sign (May 1991)		
	182.	Drawing - Brackets Double Face Plastic Sign		
	183.	Drawing - Brackets Single Face Aluminum Sign (May 1991)		
	184.	Drawing - Brackets Double Face Aluminum Sign (May 1991)		
▼	185.	Model SCR-525 EXSC Exit Sign and Specifications, Hobby & Brown Electronic Corporation		

Examiner Signature	/Cassandra Davis/	Date Considered	06/27/2006
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.88. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2.

ATLIE01 1749157.1